

AMENDED  
APPLICATION FOR PERMIT

Nº 49811

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... APR 03 1986  
Returned to applicant for correction..... APR 22 1986  
Corrected application filed..... APR 30 1986  
Map filed..... APR 30 1986

The applicant.....KENNETH R. GOODMAN

4558 PORTADOWN LANE

, of LAS VEGAS

Street and No. or P.O. Box No.

City or Town

NEVADA 89121

State and Zip Code No.

....., hereby make...S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....n/a

1. The source of the proposed appropriation is.....UNDERGROUND  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is.....0.00557.....second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet.....1000 GAL. PRESSURE TANK
3. The water to be used for.....DOMESTIC (QUASI-MUNICIPAL) PURPOSES  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:  
(a) Irrigation, state number of acres to be irrigated.....  
(b) Stockwater, state number and kinds of animals to be watered.....  
(c) Other use (describe fully under "No. 12. Remarks").....4 DOMESTIC HOMES  
(d) Power:  
(1) Horsepower developed.....  
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point.....NE¼ SE¼ Section 32 T19S R60E  
Describe as being within a 40-acre subdivision of public  
M.D.B. & M. Clark County Nev or at a point from which the E¼ corner of  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
said Section 32 bears N 74°32'34" E a distance of 1,252.95 feet.
6. Place of use.....The Northwest Quarter (NW¼) of the Northwest Quarter (NW¼)  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
of the Northeast Quarter (NE¼) of the Southeast Quarter (SE¼) of Section  
32 Township 19 South Range 60 East MDM Clark County Nevada
7. Use will begin about.....1 JANUARY.....and end about.....31 DECEMBER....., of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.).....400 FT 8 INCH CASING 5 HP PUMP  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
1000 GAL PRESSURE TANK  
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works.....\$10,000

10. Estimated time required to construct works..... 2 Weeks  
 If well completed, describe works.  
 .....
11. Estimated time required to complete the application of water to beneficial use..... 2 Weeks  
 .....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  
4 DOMESTIC HOMES  
 .....  
 .....  
 .....

By s/ Kenneth R. Goodman  
4558 PORTADOWN LANE  
LAS VEGAS NEVADA 89121

Compared is/se is/se

Protested .....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00557 cubic feet per second, but not to exceed 1.31 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 5, 1988

Proof of completion of work shall be filed on or before October 5, 1988

Application of water to beneficial use shall be made on or before September 5, 1991

Proof of the application of water to beneficial use shall be filed on or before October 5, 1991

Map in support of proof of beneficial use shall be filed on or before .....

Completion of work filed..... IN TESTIMONY WHEREOF, I, PETER G. MORROS  
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed..... my office, this 5th day of September

Cultural map filed.....

Certificate No. .... Issued.....

A.D. 19 86

CANCELLED 218 (Rev.) **DEC 28 1989** BECAUSE OF FAILURE  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
Peter G. Morros STATE ENGINEER

State Engineer